



REQUEST FOR PROPSAL NO: 379333

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

3/17/2025

Dear Prospective Offeror:

Request for Proposal No: 379333

Central Plateau Cleanup Company (CPCC) is interested in receiving proposals for Construction Services in support of the Mixed Waste Trenches 31/34 Leachate Tank Replacement Project, Richland, Washington, under Prime Contract 89303320DEM000030 with the U.S. Department of Energy.

Information regarding the product or services required and instructions for the preparation and submission of proposals are contained in the attached Request for Proposal (RFP).

This solicitation is a small business set aside under North American Industry Classification System (NAICS) Code 237990.

The anticipated schedule for this RFP activity is as follows:

- ✓ Notification of Intent to Propose: March 27th, 2025
- ✓ Site Walk Down: April 2nd, 2025
- ✓ RFP Questions Due: April 9th, 2025
- ✓ RFP Responses Due: April 16th, 2025
- ✓ Proposals Due: May 14th, 2025
- ✓ Anticipated Award: June 5th, 2025

Sincerely,

Brandon Lilly, Contract Specialist
Procurement & Supply Chain

TABLE OF CONTENTS

SECTION A – REQUEST FOR PROPOSAL 7

1.0 INTRODUCTION..... 7

2.0 BASIS OF AWARD (BEST VALUE, TRADE-OFF) 7

2.1 ACCEPTANCE OR REJECTION OF PROPOSALS7

2.2 RESPONSIVENESS AND RESPONSIBILITY DETERMINATION8

2.3 PROPOSAL COSTS8

2.4 AWARD NOTIFICATION8

3.0 PROPOSAL PREPARATION INSTRUCTIONS..... 8

3.1 PROPOSAL CONTENT8

3.2 VOLUME I – TECHNICAL PROPOSAL9

3.3 VOLUME II – COST/PRICE AND CONTRACTUAL PROPOSAL9

3.3.1 PRICE SUPPORT INFORMATION.....9

3.4 VOLUME III – QUALITY ASSURANCE MANUAL10

3.5 ADDITIONAL PROPOSAL DOCUMENTATION10

3.5.1 CPCCO REPRESENTATIONS AND CERTIFICATIONS10

3.5.2 EXECUTIVE COMPENSATION CERTIFICATION10

3.5.3 CONFLICT OF INTEREST DISCLOSURE & CERTIFICATION10

3.5.4 SUBCONTRACTING10

3.6 OFFEROR’S ACCEPTANCE.....11

3.7 CERTIFICATION OF NON-MISSION SUPPORT CONTRACT WORK SCOPE11

3.8 EXCEPTIONS TO TECHNICAL REQUIREMENTS AND OTHER TERMS AND CONDITIONS.....11

3.9 PROPOSAL VALIDITY PERIOD12

4.0 EVALUATION FACTORS..... 12

4.1 TECHNICAL/BUSINESS EVALUATION FACTORS.....12

4.2 COST/PRICE EVALUATION FACTOR15

5.0 PROPOSAL SUBMITTAL DIRECTIONS 16

5.1 NOTIFICATION OF INTENT TO PROPOSE16

5.2 QUESTIONS AND COMMENTS REGARDING THE RFP16

5.3 DEADLINE16

5.4 SUBMITTAL ADDRESS16

5.5 WITHDRAWAL.....16

5.6 RFP AMENDMENTS17

6.0 NOTICES TO OFFERORS 17

6.1 ANTICIPATED AWARD DATE.....17

6.2 PRECEDENCE OF REQUIREMENTS17

6.3 IDENTIFICATION OF PROPRIETARY DATA17

6.4 CERTIFIED COST OR PRICING DATA.....17

6.5 FINANCIAL CAPABILITY DETERMINATION INFORMATION17

6.6 FOREIGN NATIONALS.....18

6.7 NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM (NAICS) CODE AND SIZE STANDARD18

**MIXED WASTE TRENCHES 31 & 34
 LEACHATE TANK REPLACEMENT**

6.8	SMALL BUSINESS SET ASIDE.....	18
6.9	IDENTIFICATION OF SERVICE ANIMALS.....	18
6.10	SHIP TO ADDRESS	19
6.11	BUY AMERICAN ACT.....	19
SECTION B – RFP ATTACHMENTS		20
1.0	ATTACHMENT 1 – STATEMENT OF WORK.....	20
2.0	ATTACHMENT 2 – STATEMENT OF WORK MASTER SUBMITTAL REGISTRY	20
3.0	ATTACHMENT 3 – STATEMENT OF WORK SPECIFICATIONS	20
4.0	ATTACHMENT 4 – DRAFT CONTRACT	20
5.0	ATTACHMENT 5 – PRICING SHEET	20
6.0	ATTACHMENT 6 – OS & IH PRE-QUALIFICATION FORM	20
7.0	ATTACHMENT 7 – EXECUTIVE COMPENSATION CERTIFICATION	20
8.0	ATTACHMENT 8 – CONFLICT OF INTEREST DISCLOSURE & CERTIFICATION	20
9.0	ATTACHMENT 9 – SPECIAL PROVISIONS – REPRESENTATIONS AND CERTIFICATIONS.....	20
10.0	ATTACHMENT 10 – LOWER-TIER SUBCONTRACTOR FLOWDOWN CERTIFICATION	21
11.0	ATTACHMENT 11 – WAGE DETERMINATION WD# WA20250002 REV1 2-13-2025	21
12.0	ATTACHMENT 12 – H-2-131585-001-13	21
13.0	ATTACHMENT 13 – H-2-131585-002-06	21
14.0	ATTACHMENT 14 – H-2-131586-001-06	21
15.0	ATTACHMENT 15 – H-2-131586-002-00	21
16.0	ATTACHMENT 16 – H-2-131587-001-05	21
17.0	ATTACHMENT 17 – H-2-131587-002-09	21
18.0	ATTACHMENT 18 – H-2-131587-003-07	21
19.0	ATTACHMENT 19 – H-2-131587-004-09	21
20.0	ATTACHMENT 20 – H-2-131587-005-04	21
21.0	ATTACHMENT 21 – H-2-818402-001-09	21
22.0	ATTACHMENT 22 – H-2-818402-002-04	21

**MIXED WASTE TRENCHES 31 & 34
 LEACHATE TANK REPLACEMENT**

23.0 ATTACHMENT 23 – H-2-818403-001-05 21

24.0 ATTACHMENT 24 – H-2-818403-002-04 21

25.0 ATTACHMENT 25 – H-2-818404-001-03 21

26.0 ATTACHMENT 26 – H-2-818404-002-11 21

27.0 ATTACHMENT 27 – H-2-818404-003-04 21

28.0 ATTACHMENT 28 – H-2-818404-004-11 21

29.0 ATTACHMENT 29 – H-2-818404-005-06 21

30.0 ATTACHMENT 30 – H-2-821550-001-04 21

31.0 ATTACHMENT 31 – H-2-821550-002-01 21

32.0 ATTACHMENT 32 – H-2-821551-001-04 22

33.0 ATTACHMENT 33 – H-2-821552-001-02 22

34.0 ATTACHMENT 34 – H-2-821553-001-09 22

35.0 ATTACHMENT 35 – H-2-821553-002-04 22

36.0 ATTACHMENT 36 – H-2-821556-001-08 22

37.0 ATTACHMENT 37 – H-2-821556-002-04 22

38.0 ATTACHMENT 38 – H-2-821559-001-04 22

39.0 ATTACHMENT 39 – H-2-821564-001-03 22

40.0 ATTACHMENT 40 – H-2-821564-002-03 22

41.0 ATTACHMENT 41 – H-2-821565-001-08 22

42.0 ATTACHMENT 42 – H-2-821565-002-01 22

43.0 ATTACHMENT 43 – H-2-830312-001-04 22

44.0 ATTACHMENT 44 – CPCC-PRO-EN-2001 22

45.0 ATTACHMENT 45 – CPCC-PRO-EP-40516 22

46.0 ATTACHMENT 46 – CPCC-PRO-MN-40323 22

47.0 ATTACHMENT 47 – CPCC-PRO-QA-259 22

**MIXED WASTE TRENCHES 31 & 34
 LEACHATE TANK REPLACEMENT**

48.0	ATTACHMENT 48 – CPCC-PRO-QA-268	22
49.0	ATTACHMENT 49 – CPCC-PRO-QA-301	22
50.0	ATTACHMENT 50 – CPCC-PRO-RP-54262	22
51.0	ATTACHMENT 51 – CPCC-PRO-SH-17916	22
52.0	ATTACHMENT 52 – CPCC-PRO-SH-40078	22
53.0	ATTACHMENT 53 – CPCC-PRO-SH-40410	22
54.0	ATTACHMENT 54 – CPCC-PRO-SH-52718	22
55.0	ATTACHMENT 55 – CPCC-PRO-TP-166	22
56.0	ATTACHMENT 56 – CPCC-PRO-WKM-07	23
57.0	ATTACHMENT 57 – CPCC-PRO-WKM-12115	23
58.0	ATTACHMENT 58 – CPCC-STD-EN-40281.....	23
59.0	ATTACHMENT 59 – CPCC-STD-SH-40314.....	23
60.0	ATTACHMENT 60 – HMIS-RD-SP-10972	23
61.0	ATTACHMENT 61 – HMIS-PRO-SP-095.....	23
62.0	ATTACHMENT 62 – HMIS-PRO-TRANS-37561	23
63.0	ATTACHMENT 63 – CPCC-00175 - REV. 3	23
64.0	ATTACHMENT 64 – CP-ENG-0425 - REV. 0	23

Acronyms

BTR	Buyer's Technical Representative
DOE	Department of Energy
NAICS	North American Industry Classification System
QA	Quality Assurance
RFP	Request for Proposal
SOW	Statement of Work
CPCCo	Central Plateau Cleanup Company

SECTION A – REQUEST FOR PROPOSAL

1.0 INTRODUCTION

Central Plateau Cleanup Company (Buyer) acting under its contract with the Department of Energy, requests Offerors to submit a proposal for a Firm Fixed Price type of contract to provide Mixed Waste Trenches 31/34 Leachate Tank Replacement. This Section A describes the basis of award, proposal submittal requirements, proposal instructions, and notices to offerors. Section B contains Representations and Certifications and other documents, which offerors may be required to complete, sign and return with their proposal, as well as a Draft 4-Part Contract which contains;

- Part I – Statement of Work
- Part II – Financial Terms
- Part III – General Terms, Contract Provisions, and Attachments
- Part IV – Special Terms

Buyer may determine that any proposal not submitted in accordance with this Request for Proposal (RFP) is non-responsive and reject the proposal.

2.0 BASIS OF AWARD (BEST VALUE, TRADE-OFF)

Buyer intends to award a contract as a result of this RFP to the responsible offeror whose offer conforms to the requirements of this solicitation and is determined to be the most advantageous technical and price proposal.

This acquisition is considered a commercial procurement as defined by the FAR.

The basis of award is an informal evaluation selection of an offeror who is determined to be responsible, responsive, and the technically advantageous offer to accomplish the objectives of the RFP. Refer to Section 4.0 for a description of the evaluation factors.

2.1 Acceptance or Rejection of Proposals

Buyer reserves the right to accept or reject any proposal with or without prior discussion with the Offeror. Buyer may:

- award a contract on the basis of proposals received without discussions with offerors (therefore, initial proposals should be submitted with the most favorable technical and price terms);
- select one or more offerors with which to negotiate;

- reject any or all proposals received;
- issue a request for new proposals; or
- cancel the RFP without awarding a contract.

2.2 Responsiveness and Responsibility Determination

Buyer will determine if the Offeror is responsive to Buyer requirements and eligible for award. This evaluation may include (but is not limited to) information gathered from other sources, including safety performance, financial stability and past performance for Buyer or other customers. The determination may be made at any time by Buyer without additional questions or revision. Buyer may waive minor informalities and irregularities in offers received.

2.3 Proposal Costs

Buyer is under no obligation to pay proposal preparation costs.

2.4 Award Notification

Buyer will notify all offerors after Buyer selects an offeror for award. There will be no public opening of proposals.

3.0 PROPOSAL PREPARATION INSTRUCTIONS

Organize the proposal as described in the following sections.

Proposal must clearly and convincingly demonstrate that the Offeror has a thorough understanding of and will be able to perform the proposed contract successfully. For technical work, describe the proposed technical approach including assumptions and supporting detail. Unsupported, unclear, or inconsistent statements about Offeror's proposed performance and compliance with all Contract requirements may be determined as non-responsive.

Do not submit generic brochures or other marketing materials which do not specifically relate to the proposal.

3.1 Proposal Content

Offeror's proposal must contain information sufficient to demonstrate an understanding of the requirements and Offeror's ability to perform successfully as proposed. Offerors who submit proposals which are unclear or incomplete may be judged non-responsive and dropped from further consideration for this award. Simply repeating the statement of work requirements or merely offering to perform the work may result in a lower

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

evaluation or the offer being judged non-responsive to the requirements and dropped from further consideration.

Proposals shall be organized in the manner listed in Sections 3.2-3.4 below. Each volume of the proposal shall be separate and complete. Omit all cost or pricing details from the technical proposal. Where estimated labor hours will provide clarity, propose them as hours only with no indication of price in the technical proposal.

The following documents make up a complete proposal package:

3.2 Volume I – Technical Proposal

Volume I shall consist of the Offeror’s discussion that addresses the technical evaluation factors, the Offeror’s capabilities, and what the Offeror will do to satisfy the requirements of the solicitation. See section 4.1 Technical/Business Evaluation Factors for details and required documents for Volume I. The Offeror shall provide one (1) electronic copy of this volume.

3.3 Volume II – Cost/Price and Contractual Proposal

Volume II shall consist of the Offeror’s proposed pricing to accomplish the SOW, attestation to size standard, and ensure Offeror’s economic capability to manage this project size and scope. See section 4.2 Cost/Price Evaluation Factor for details and required documents for Volume II. Offeror must submit one (1) electronic copy of this volume.

3.3.1 Price Support Information

If requested the seller is required to submit information sufficient to determine that the prices or costs being charged are reasonable, fair and realistic. Such information may include pricing, sales, or cost information that is pertinent to establishing the pricing or costs being charged.

Suggested pricing support:

- 1) Provide three quotes or proposals for proposed materials or lower tier subcontracted work to support the pricing; and/or
- 2) Provide copies of previous invoices (within the last six months) for same or similar materials or work scope; and/or
- 3) Copy of published price list, if applicable.

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

3.4 Volume III – Quality Assurance Manual

Volume III shall consist of on (1) electronic copy of your Quality Assurance Manual to ensure it meets the requirements of this SOW. See section 4.1 Technical/Business Evaluation Factors for details and required documents for Volume III. The Offeror shall provide one (1) electronic copy of this volume.

3.5 Additional Proposal Documentation

3.5.1 CPCCo Representations and Certifications

Complete the CPCCo Representations and Certifications form from Section B below and return as a separate attachment.

3.5.2 Executive Compensation Certification

Complete the Executive Compensation Certification form from Section B below and return as a separate attachment.

3.5.3 Conflict of Interest Disclosure & Certification

Complete the Conflict of Interest Disclosure & Certification form from Section B below and return as a separate attachment.

3.5.4 Subcontracting

Complete the Lower-Tier Subcontractor Flowdown Certification form from Section B below and return as a separate attachment. This completed form is still required if no subcontractors are being proposed to indicate as such.

Contractor shall furnish Buyer a list of all proposed subcontractors who will be performing work on the Hanford site and those proposed subcontractors who will be performing a significant portion of the off-site work. The list must be furnished prior to award and updated with changes during Contract performance. Use the Subcontracting form and instructions located on this [webpage](#).

Contractor may **not** subcontract any significant portion of this Contract without first obtaining concurrence of Buyer to the proposed subcontract scope and subcontractor(s). See General Provisions, Section 3.6, for requirements.

Contractor is responsible to incorporate and flow down all appropriate provisions and requirements of this Contract to all subcontractors.

Buyer reserves the right to:

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

- reject any proposed subcontract or subcontractor as incomplete or unsuitable,
- require the replacement, at Contractor's expense, of any subcontractor who fails to adhere to all the applicable provisions and requirements of this Contract.

3.6 Offeror's Acceptance

The Contract, if any, resulting from this RFP will be substantially the same as the draft contract that is contained in the accompanying file. Unless otherwise noted by the Offeror in its proposal, Offeror's submission of a proposal signifies the Offeror's unqualified acceptance of all of the technical requirements and other terms and conditions that are contained and referenced in this RFP and the accompanying draft contract file. Interpretations established by the Offeror to any part of this RFP may be considered an exception and may render the proposal being considered non-responsive and dropped from evaluation and award considerations.

3.7 Certification of Non-Mission Support Contract Work Scope

By submission of its offer, the offeror represents that it is not currently performing work under the Mission Support Contract (MSC) awarded in 2009, a prime contract for the Hanford Mission Essential Services Contract (HMESC), the MSCs successor contractor, or a subcontractor to HMESC performing work in any of the following area:

Safeguards and Security

Emergency and First Responders

Information Technology and Management

Portfolio Analysis, Project Support, and Independent Assessment

Environmental Integration and Environmental Compliance support

This contract limitation applies to any parent companies or affiliates of the prime contractor and subcontractors described above.

3.8 Exceptions to Technical Requirements and Other Terms and Conditions

The Offeror shall describe any exceptions to the technical requirements and other terms and conditions of the sample contract on which the Offeror's proposal is based. Offerors are notified that Buyer considers the Offeror's compliance with the technical requirements and terms and conditions of the accompanying draft contract to be essential. In case of doubt, Offeror should request clarification from Buyer. If the Offeror takes any exceptions to the requirements of the RFP, the pricing shall be based on the requirements of the RFP and the exception(s) priced as alternates. If the Offeror's

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

proposal is based only on the proposed exceptions, Buyer may determine that the proposal is non-responsive.

3.9 Proposal Validity Period

A proposal shall remain firm for 180 days after the proposal due date.

4.0 EVALUATION FACTORS

Buyer will first evaluate the Offeror's proposal to determine whether the information provided meets all proposal requirements. Offeror's proposal must meet the requirements to be considered for further evaluation. Proposals determined to meet the requirements shall be evaluated against the evaluation factors. Factors are composed of the following technical/business and cost/price factors:

- A. Technical Approach
- B. Management Approach
- C. Past Performance
- D. Key Personnel
- E. Safety
- F. Quality Assurance Manual
- G. Cost/Price

Technical/Business factors are more important than cost or price. Price will be a significant evaluation factor.

Buyer will use the evaluation criteria to determine the Offeror's understanding of the work, the Offeror's qualifications to perform the work, and the aptitude of the Offeror's proposed evaluation factors.

The Offeror shall address each of the evaluation factors and state how the Offeror specifically meets each one. Offerors that do not address each of the requirements may be determined unresponsive.

4.1 Technical/Business Evaluation Factors

The following evaluation factors, which are listed in order of significance are the technical and business criteria that will be used along with cost or price in determining which offeror will be selected (if at all) for an award. Technical Approach and Management Approach has the highest level of significance.

- A. Technical Approach (Volume I)

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

- This factor refers to the Offeror's technical approach for accomplishing the work as outlined in the SOW in section 01010 that entails designing, constructing, procuring, installing, and testing two replacement leachate pumping and temporary holding systems for the radioactive Mixed Waste Trenches numbers 31 and 34.
- Required Information:

Offeror shall provide a proposal that clearly demonstrates confidence and understanding of the scope and requirements of the SOW. At a minimum the technical proposal must include:

Work Plan: Offeror shall provide a work plan to be used during the performance of this Contract. Work Plan shall identify the technical approach to the task objectives, activities, deliverables, and address all other requirements of the SOW. Plan must also recognize known and potential hazards, identify areas of technical risk, and identify its planned use of subcontractors, if any.

Schedule: As part of the technical approach a detailed schedule shall be provided that corresponds to the Work Plan, distinctly identifies the sequence of work, objectives, deliverables, constraints, and interdependence of tasks and project milestones following a 4 day x 10 hr. work week with task/milestone end dates. Buyer must be able to evaluate the schedule, and project must be completed within the anticipated award date of 6/5/2025 to the anticipated end date of 4/30/2026 as written in the Draft Contract.

B. Management Approach (Volume I)

- This factor refers to the Offeror's managerial approach to successfully manage this contract work scope and related contract administration.
- Required Information

Offeror shall provide a Management Approach that specifically defines and details the Offeror's capabilities to successfully manage, perform, and execute the work including:

Offeror's approach shall include an organization structure that aligns with the proposed technical approach.

Management Approach shall demonstrate how schedule slippage would be addressed.

Offeror's approach shall demonstrate how any subcontracted work will be monitored and Offeror's approach for addressing sub tier performance issues.

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

C. Past Performance (Volume I)

- This factor speaks to the performance history of projects similar in size and scope to determine reputation and aptitude for reliability in performance and cost.
- Required Submittals

The Offeror shall furnish three (3) references for previous (dating back to 3 years) and current projects. References shall include the following current and up-to-date information for each specific reference. Note: Information gained elsewhere by Buyer can also be used as part of the evaluation.

- Client Name and Address
- Client Technical Point of Contact and phone number
- Contract Number
- Brief Description of Work Scope
- Contract Type
- Period of Performance
- Original Contract Value \$<<insert value>>
- Final Contract Value \$<<insert value>>

If these latter two amounts are different, provide a brief explanation for the difference.

Buyer will evaluate whether the references are recent, relevant, and provide the buyer with confidence that offeror will perform.

D. Key Personnel (Volume I)

- This factor refers to the Offeror's proposed "Key" personnel. Evaluation emphasis will be placed on the competency, experience, availability, and pertinent education. See SOW Section 01150 for list of required key personnel and their respective qualification standards. Key Personnel list are Project Manager, Lead Design Engineer/Engineering Manager, On-Site Safety Representative, and On-Site Field Work Supervisor.
- Required Information

Offeror shall provide resumes for qualified key personnel based on SOW requirements that would be utilized during performance of this contract.

Availability of identified key personnel.

If Key Personnel were to vacate position, how would offeror replace with qualified individual that aligns with SOW and Contract requirements as outlined

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

in SOW Section 01150 and Draft Contract , Part IV Special Terms, Section 1.9
Key Personnel.

E. Safety (Volume I)

- This factor refers to the Offeror’s safety evaluation.
- Required Information:

Offeror shall complete the Occupational Safety & Industrial Hygiene Pre-
Qualification Form.

F. Quality Assurance Manual (Volume III)

- This factor refers to the Offeror’s quality assurance.
- Required Information

Offeror shall provide a quality assurance plan with their proposal.

4.2 Cost/Price Evaluation Factor

G. Cost/Price (Volume II)

- This factor refers to the Offeror’s proposed pricing to perform this contract, attest to small business designation, and ensure offeror’s economic capability to manage a project this size and scope. Buyer will analyze the offeror’s pricing proposal and compare among the prices of other offerors. It is important to note that Buyer will not make an award at a significantly higher overall price in order to achieve slightly superior technical or management features. As proposals become more equal in their technical merit, the evaluated price becomes more important.
- Required Information:

Offeror shall complete and submit the provided “Price Sheet” template as instructed and formatted in Section B Attachment 5.0. All pricing assumptions shall be clearly state in Offeror’s Volume II proposal to allow reviewer to assess potential cost risks with the proposal.

Offer shall provide a milestone payment schedule that aligns with the technical plan and will include a description of each milestone, completion criteria, and corresponding values or payment amounts.

Offer shall include letter from Offeror’s bonding company expressing ability to provide sufficient bonding capacity for this project within Volume II.

Volume II shall clearly identify the source and cost of a Performance and Payment Bond for all contract values over thresholds outlined in FAR 52.228-15 Performance and Payment Bonds-Construction. The “bond” shall be 100% of the original contract price.

5.0 PROPOSAL SUBMITTAL DIRECTIONS

5.1 Notification of Intent to Propose

Buyer requests that a prospective offeror notify Buyer in writing by 4 p.m. on March 27th, 2025, indicating that the Offeror intends to submit a proposal in response to this RFP. The Offeror may transmit the notification to the Contract Specialist via e-mail or fax.

5.2 Questions and Comments Regarding the RFP

The Offeror shall submit any comments or questions regarding the RFP to the Contract Specialist in writing no later than April 9th, 2025 and responses by April 16th, 2025. The Offeror may transmit questions and comments via e-mail. Buyer will answer all questions in writing and provide a copy of all questions and answers to all offerors. If the RFP requires an amendment to resolve issues regarding the RFP, Buyer will issue an amendment to those offerors who have not declined to participate in time for them to consider the amendment(s) before finalizing and submitting their proposals.

5.3 Deadline

Proposals are due by 4 p.m. on May 14th, 2025. Buyer reserves the right to reject any proposal received after the deadline.

5.4 Submittal Address

Identify the package containing the proposal as “Proposal in Response to RFP 379333” via email.

The Contract Specialist’s telephone number is 509-376-1155, and the e-mail address is Brandon_D_Lilly@rl.gov. The Offeror may contact the Contract Specialist to verify that the Contract Specialist received the proposal.

5.5 Withdrawal

Proposals may be withdrawn by written notice received by the Contract Specialist at any time prior to award.

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

5.6 RFP Amendments

If this RFP is amended, unless otherwise stated, all terms and conditions that are not modified will remain unchanged. The Offeror shall acknowledge receipt of all amendments by stating in the proposal that the Offeror has received the amendment(s) and has considered it/them in formulating the proposal.

6.0 NOTICES TO OFFERORS

6.1 Anticipated Award Date

The anticipated award date for this RFP is June 5th, 2025.

6.2 Precedence of Requirements

In the event of a conflict among the provisions, the RFP instructions, the RFP correspondence, other documents and the resulting Contract, the terms of the Contract shall govern.

6.3 Identification of Proprietary Data

If the Offeror submits any data as part of their Proposal, which is considered by the Offeror to be “proprietary data”, the document transmitting the data or which contains the data, shall be boldly marked indicating that the data included are considered to be proprietary. To the extent that the restrictive marking prevents Buyer from distributing the documents for evaluation or use, the marking may render the proposal non-responsive.

6.4 Certified Cost or Pricing Data

The Offeror is not required to provide certified cost or pricing data. However, Buyer may require the Offeror to provide certified and/or non-certified cost or pricing data prior to award if Buyer cannot determine that the acquisition is exempt from the requirements of PL 87-653 (10 USC Sec. 2306a).

6.5 Financial Capability Determination Information

Buyer reserves the right, prior to award, to require the Offeror to submit information that Buyer will use to determine whether the Offeror has the financial capability to successfully perform the contemplated Contract in accordance with the Contract terms. Such information may include, but not be limited to: annual reports; lines of credit with financial institutions and suppliers; SEC Form 10K, and any other information that may be required by Buyer.

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

6.6 Foreign Nationals

Offerors intending to propose use of any Foreign National (non-US citizens) shall indicate their intent as part of the Offeror's proposal submission. After being selected for Contract award, but prior to start of performance, Foreign National requests will be processed in accordance with Hanford Site Security procedures, DOE Order 142.3A Chg 1 (MinChg) entitled Unclassified Foreign Visits & Assignment Program and Procedure HMIS-PRO-SEC392 entitled Unclassified Visits & Assignment by Foreign Nationals. Information for processing requests shall be submitted regardless of the Foreign National works on the Hanford site or elsewhere. Processing of any request are required to be completed/approved prior to commencement of any work. The lead time for processing Foreign National requests can take up to several months depending upon the country of origin and the subject matter involved. If Foreign Nationals are considered for use at any time under a contract, Contractor shall notify the Contract Specialist and Hanford Security of the change. Contractor shall adhere to the requirements for processing and approval as identified above for any changes in Foreign National use.

6.7 North American Industry Classification System (NAICS) Code and Size Standard

Buyer has determined that North American Industry Classification System (NAICS) Code 237990 applies to this acquisition. Therefore, the size standard for determining whether an offeror is a small business in regard to this acquisition is \$45 Million.

6.8 Small Business Set Aside

Proposals made under this solicitation shall be from small business concerns, including Disadvantaged, Women Owned, Veteran Owned, Service Disabled Veteran Owned and HUBZone small businesses. Proposals received from concerns that are not small businesses shall not be considered for this solicitation. Disadvantaged, Women Owned, Veteran Owned and service Disables Veteran Owned may self-certify to these categories as defined by the Small Business Administration (www.sba.gov). HUBZone businesses must be certified by the Small Business Administration.

6.9 Identification of Service Animals

If the Offeror or a planned lower-tier subcontractor requires the use of a service support animal to perform its work under the Contract, the Offeror shall disclose and provide information in its proposal that includes a description of the work or task the services support animal has been trained to perform. Service support animals "in training" are not considered service support animals and will not be allowed on the Hanford Site or in Site associated facilities. Other animals, to include pets and "comfort animals" are not permitted access onto the Hanford Site or in Site associated facilities. Service support animals may be excluded from the workplace if the work site cannot support reasonable

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

accommodations. For more information, see the Hanford Site Procedure MSC-PRO-SEC-417, Appendix A-5, p.16.

6.10 Ship to Address

All shipping containers and paperwork are to be marked with the following legend:

U.S. Department of Energy
c/o Central Plateau Cleanup Company, Inc.
2355 Stevens Dr.
Richland, WA, 99354

6.11 Buy American Act

In accordance with the Buy American Act (BAA, FAR part 25) domestic end products as defined in the BAA shall be afforded an evaluation preference in this action. Products of foreign origin may not be supplied unless evaluated and agreed to by Buyer prior to Contract award. Contractor certifies that all other products, supplied on this Contract are Domestic products as defined in the BAA.

FAR -- Part 25 Foreign Acquisition

SECTION B – RFP ATTACHMENTS

- 1.0 ATTACHMENT 1 – STATEMENT OF WORK**
- 2.0 ATTACHMENT 2 – STATEMENT OF WORK MASTER SUBMITTAL
REGISTRY**
- 3.0 ATTACHMENT 3 – STATEMENT OF WORK SPECIFICATIONS**
- 4.0 ATTACHMENT 4 – DRAFT CONTRACT**
- 5.0 ATTACHMENT 5 – PRICING SHEET**
- 6.0 ATTACHMENT 6 – OS & IH PRE-QUALIFICATION FORM**
- 7.0 ATTACHMENT 7 – EXECUTIVE COMPENSATION CERTIFICATION**
- 8.0 ATTACHMENT 8 – CONFLICT OF INTEREST DISCLOSURE &
CERTIFICATION**
- 9.0 ATTACHMENT 9 – SPECIAL PROVISIONS – REPRESENTATIONS AND
CERTIFICATIONS**

A fully completed and signed Representations and Certifications (SP-16) form must accompany the proposal. Section 21 NAICS code must match the NAICS code specified in this solicitation and the Offeror's registered small business size standard.

SP-16 Revision 5, Dated January 23, 2024 - **REPS & CERTS (SP-16)**

- 10.0 ATTACHMENT 10 – LOWER-TIER SUBCONTRACTOR FLOWDOWN CERTIFICATION**
- 11.0 ATTACHMENT 11 – WAGE DETERMINATION WD# WA20250002 REV1 2-13-2025**
- 12.0 ATTACHMENT 12 – H-2-131585-001-13**
- 13.0 ATTACHMENT 13 – H-2-131585-002-06**
- 14.0 ATTACHMENT 14 – H-2-131586-001-06**
- 15.0 ATTACHMENT 15 – H-2-131586-002-00**
- 16.0 ATTACHMENT 16 – H-2-131587-001-05**
- 17.0 ATTACHMENT 17 – H-2-131587-002-09**
- 18.0 ATTACHMENT 18 – H-2-131587-003-07**
- 19.0 ATTACHMENT 19 – H-2-131587-004-09**
- 20.0 ATTACHMENT 20 – H-2-131587-005-04**
- 21.0 ATTACHMENT 21 – H-2-818402-001-09**
- 22.0 ATTACHMENT 22 – H-2-818402-002-04**
- 23.0 ATTACHMENT 23 – H-2-818403-001-05**
- 24.0 ATTACHMENT 24 – H-2-818403-002-04**
- 25.0 ATTACHMENT 25 – H-2-818404-001-03**
- 26.0 ATTACHMENT 26 – H-2-818404-002-11**
- 27.0 ATTACHMENT 27 – H-2-818404-003-04**
- 28.0 ATTACHMENT 28 – H-2-818404-004-11**
- 29.0 ATTACHMENT 29 – H-2-818404-005-06**
- 30.0 ATTACHMENT 30 – H-2-821550-001-04**
- 31.0 ATTACHMENT 31 – H-2-821550-002-01**

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

- 32.0 ATTACHMENT 32 – H-2-821551-001-04**
- 33.0 ATTACHMENT 33 – H-2-821552-001-02**
- 34.0 ATTACHMENT 34 – H-2-821553-001-09**
- 35.0 ATTACHMENT 35 – H-2-821553-002-04**
- 36.0 ATTACHMENT 36 – H-2-821556-001-08**
- 37.0 ATTACHMENT 37 – H-2-821556-002-04**
- 38.0 ATTACHMENT 38 – H-2-821559-001-04**
- 39.0 ATTACHMENT 39 – H-2-821564-001-03**
- 40.0 ATTACHMENT 40 – H-2-821564-002-03**
- 41.0 ATTACHMENT 41 – H-2-821565-001-08**
- 42.0 ATTACHMENT 42 – H-2-821565-002-01**
- 43.0 ATTACHMENT 43 – H-2-830312-001-04**
- 44.0 ATTACHMENT 44 – CPCC-PRO-EN-2001**
- 45.0 ATTACHMENT 45 – CPCC-PRO-EP-40516**
- 46.0 ATTACHMENT 46 – CPCC-PRO-MN-40323**
- 47.0 ATTACHMENT 47 – CPCC-PRO-QA-259**
- 48.0 ATTACHMENT 48 – CPCC-PRO-QA-268**
- 49.0 ATTACHMENT 49 – CPCC-PRO-QA-301**
- 50.0 ATTACHMENT 50 – CPCC-PRO-RP-54262**
- 51.0 ATTACHMENT 51 – CPCC-PRO-SH-17916**
- 52.0 ATTACHMENT 52 – CPCC-PRO-SH-40078**
- 53.0 ATTACHMENT 53 – CPCC-PRO-SH-40410**
- 54.0 ATTACHMENT 54 – CPCC-PRO-SH-52718**
- 55.0 ATTACHMENT 55 – CPCC-PRO-TP-166**

**MIXED WASTE TRENCHES 31 & 34
LEACHATE TANK REPLACEMENT**

- 56.0 ATTACHMENT 56 – CPCC-PRO-WKM-07**
- 57.0 ATTACHMENT 57 – CPCC-PRO-WKM-12115**
- 58.0 ATTACHMENT 58 – CPCC-STD-EN-40281**
- 59.0 ATTACHMENT 59 – CPCC-STD-SH-40314**
- 60.0 ATTACHMENT 60 – HMIS-RD-SP-10972**
- 61.0 ATTACHMENT 61 – HMIS-PRO-SP-095**
- 62.0 ATTACHMENT 62 – HMIS-PRO-TRANS-37561**
- 63.0 ATTACHMENT 63 – CPCC-00175 - REV. 3**
- 64.0 ATTACHMENT 64 – CP-ENG-0425 - REV. 0**