


QTY.	NO.	DESCRIPTION
------	-----	-------------



ELEVATION VIEW IN SECTION

PLAN VIEW IN SECTION

H-3-20246 1

- NOTES:
- (a) WINDOW LINERS WITH HOUSINGS COMPLETE WITH GLASS ARE IDENTIFIED AS EPN 676 WITH DWG PT NOS AS A SUFFIX THUS EPN 676-1
(b) WINDOW LINERS WITH HOUSING FILLED WITH DENSE CONCRETE AGGREGATE HAVE AN ADDED SUFFIX "A" SUCH AS 676-1A, 676-2A.
 - WHERE WINDOW (GLASS) IS NOT INSTALLED THE HOUSINGS SHALL BE FILLED WITH DENSE AGGREGATE OF THE MATERIAL AND GRADING AS SPECIFIED FOR HIGH DENSITY CONCRETE, BUT WITHOUT CEMENT AS PER REF #2
 - FOR VIBRATION REQUIREMENTS THAT WILL EFFECT FLUID LOADS ON WALL LINERS DURING CONCRETE PLACEMENT, SEE REF #2.
 - THIS DRAWING FOR CONTRACTOR DESIGN AND INSTALLATION. SEE REF #2 FOR ADDITIONAL REQUIREMENTS.

NO.	REVISIONS	REV. BY	DATE	APP'D BY	FOR	DATE
SM 1	CHECKED FOR AS-BUILT & ADDED NOTE ZN-E-13					
3	14.317 C.V.I.					
2	WNS 5867 SPECIFICATION					
1	H-3-2018 DRAWING LIST					

CHECK PRINT	COMMENT PRINT	APPROVED FOR CONST.	U. S. ATOMIC ENERGY COMMISSION
DATE	DATE	BY	MANFORD ATOMIC PRODUCTS OPERATION
1/11/68	2/16/68		GENERAL ELECTRIC
SCALE NONE	APPROVED FOR DESIGN	BY	VIEWING WINDOW
DATE	DATE		HOT PILOT CELL
1/11/68	2/16/68		FUELS RECYCLE PILOT PLANT
PROJECT	ISSUE NO.	CLASSIFICATION	WALD NO. 324
CAH-916 72 & 79	1	NONE	WORK NO. 5001
DATE	DATE		H-3-20246
1/11/68	2/16/68		